

# Aluminium Stainless steel Accessories



1

---


Overview	178
Door stops	179
Pull handles	188
Cabinet knobs	191
Card frames	194
Cable box	195
Numerals	196
Indicators	197
Budget lock roses	198
Window locks	200
Door viewer	200
Key tag	201
Flush pulls	201
Flush ring handles	202
Engraving	203

# Overview


Aluminium  
 Stainless steel



## Door stops



**3816**  
Aluminium  
Stainless steel




**3817**  
Aluminium

As with all architectural hardware, door stops will only give satisfaction if correctly fitted and properly used. Before ordering or fabricating, it is necessary to check the weight of the door leaf, the angle of contact, the height of the bottom of the door from the floor and the quality of the flooring itself. Depending on requirements, it

is then possible to choose between simple stops, stops with anti-skew capability, stops with baseplates, directional and non-directional stops and, finally, stops fitted straight into the floor or those where rawplugs are used. If in any doubt, please consult us citing the conditions in question.

Door stops

1




3819

Aluminium natural colour  
anodised

Design: Josef Paul Kleihues

f




3820

Aluminium natural colour  
anodised


Design: Hans Kollhoff

As with all architectural hardware, door stops will only give satisfaction if correctly fitted and properly used. Before ordering or fabricating, it is necessary to check the weight of the door leaf, the angle of contact, the height of the bottom of the door from the floor and the quality of the flooring itself. Depending on requirements, it

## Door stops



**3879**  
Aluminium




**3881**  
Aluminium  
Stainless steel

is then possible to choose between simple stops, stops with anti-skew capability, stops with baseplates, directional and non-directional stops and, finally, stops fitted straight into the floor or those where rawlplugs are used. If in any doubt, please consult us citing the conditions in question.

Door stops


1



3880 00

Aluminium

f




3896 00

Aluminium


Design: Jasper Morrison

As with all architectural hardware, door stops will only give satisfaction if correctly fitted and properly used. Before ordering or fabricating, it is necessary to check the weight of the door leaf, the angle of contact, the height of the bottom of the door from the floor and the quality of the flooring itself. Depending on requirements, it

## Door stops



**3882**  
Aluminium




**3883**  
Aluminium  
Shoe without door stop

is then possible to choose between simple stops, stops with anti-skew capability, stops with baseplates, directional and non-directional stops and, finally, stops fitted straight into the floor or those where rawlplugs are used. If in any doubt, please consult us citing the conditions in question.


Door stops

1



3884 00


Aluminium  
Stainless steel



3884 10

Black baseplate

f



3887


Stainless steel

Design: Erik Magnussen


As with all architectural hardware, door stops will only give satisfaction if correctly fitted and properly used. Before ordering or fabricating, it is necessary to check the weight of the door leaf, the angle of contact, the height of the bottom of the door from the floor and the quality of the flooring itself. Depending on requirements, it



# Door stops



**3888**  
Aluminium



**3889**  
Aluminium


is then possible to choose between simple stops, stops with anti-skew capability, stops with baseplates, directional and non-directional stops and, finally, stops fitted straight into the floor or those where rawlplugs are used. If in any doubt, please consult us citing the conditions in question.

# Door stops for wall mounting

1



f




**3646 ..**

Aluminium  
Stainless steel

Door stop combined with  
hat & coat hook

00 without door stop  
01 with door stop



**3880**


Aluminium  
Stainless steel

02 length 120 mm  
03 length 90 mm  
04 length 60 mm




Door stops mounted to the wall need to be fitted in such a way that the door leaf strikes them as head-on as possible. Any undue lateral force is likely to cause the stop to be worked loose.

# Door stops for wall mounting



**3895**  
Aluminium  
Stainless steel



**3896**  
Aluminium natural colour  
anodised


- 02 length 120 mm
- 03 length 90 mm
- 04 length 60 mm

Design: Jasper Morrison

FSB advises against fitting stops at door-handle height. The resultant shock waves are transmitted via the lock follower to the lock mechanism, eventually causing it to suffer damage.


Pull handles

1




**3606**  
Aluminium


f



**3607**  
Aluminium




**3603**  
Aluminium



**3604**  
Aluminium

Fixing is by means of 6 mm threaded bolts and dome nuts.

Pull handles



2160


Aluminium

00 visible fixing

01 concealed bolt through fixing

1

f



2161


Aluminium

00 visible fixing

01 concealed bolt through fixing


Pull handles

1




**3617**  
Aluminium


f



**3618**  
Aluminium




**3601**  
Aluminium




**3602**  
Aluminium


Drawer pull  
Cabinet knobs



**3657**  
Aluminium




**3656**  
Aluminium




**3614**  
Aluminium  
Stainless steel

Screw M4 x 30 mm

Design: Franco Clivio



**2328**  
Aluminium




**3689**  
Aluminium

Screw M4 x 30 mm

# Cabinet knobs

1




**3691**

Aluminium  
Stainless steel

Screw M4 x 30 mm

f




**3629**

Aluminium natural colour  
anodised

Screw M4 x 30 mm

Design: Hartmut Weise



**3632**

Aluminium natural colour  
anodised  
Stainless steel

3632 04 r.h.  
3632 05 l.h.  
Screw M4 x 30 mm


Design: Philippe Starck

Quiz question: how can you tell whether cabinet knob design FSB 3632 is the FSB Philippe Starck original or a cheap copy?

Answer: by its design and cost. Philippe Starck fashioned an elaborate right- and lefthand version. The plagiarisers reduced the effect to cheap symmetry. FSB continues to supply solely original designs.




## Cabinet knobs



**3641**

Aluminium natural colour  
anodised  
Stainless steel

1




**3642**

Aluminium natural colour  
anodised  
Stainless steel

**3643**


Aluminium natural colour  
anodised  
Stainless steel

f



**3644**

Aluminium natural colour  
anodised  
Stainless steel




**3654**

Aluminium natural colour  
anodised  
Stainless steel

Jasper Morrison has designed a whole handful of unfussy cabinet knobs for FSB.

All cabinet knobs are supplied with screw M4 x 30 mm.


# Card frames



**4001**

Aluminium


suitable for paper dimension  
74 x 105 mm



**4002**

Aluminium


suitable for paper dimension  
37 x 105 mm



**4003**

Aluminium

suitable for paper dimension  
52 x 74 mm




**4004**

Aluminium

suitable for paper dimension  
26 x 74 mm

The card frames are also available with metal plates with or without engraving.

# Cable box



## 9865

Aluminium  
Stainless steel

External diameter	90,0 mm
Internal diameter	80,0 mm
Inlet diameter	85,0 mm
Height less rim	
9865 0000	38,0 mm
9865 0002	33,0 mm
9865 0004	29,0 mm
9865 0006	23,0 mm
Rim thickness	1,2 mm
Rim projection	2,5 mm
Slit length	58,0 mm


The FSB cable box ensures tidy cable management at work desks. Connections for tele-phones and fax machines, task lights, desktop computers and all that goes with them are ideally accommodated in this elegant cable box. Its heavy-duty design is such that the cap remains resolutely clipped in place no matter how obdurate the cabling beneath.

The slit is sealed by a brush gasket that adapts itself to the cables inserted.


The FSB cable box is available in

- Alu 01 natural colour anodised
- Alu 03 brass-colour anodised
- Alu + colour black
- Alu + colour white
- Alu + colour grey
- Satin stainless steel

# Numerals



4005  
Stainless steel




FSB's programme of numerals and letters draws on a design that Otl Aicher recommended to our company as a headline typeface. For Otl Aicher, good legibility from a distance was all important.

Our numerals and letters are made of 4 mm-thick stainless steel, material code 1.4301.


All characters feature two standardised fixing points comprising 4 mm threaded sockets. These are fitted with bolts which in turn are secured in 8 mm rawlplugs.

Each character is supplied with a fixing template that also determines the distance between characters. Custom spacing can be achieved by reducing the width of templates.

Item-nos.:  
4005 ..




# Indicators




4058 30

Aluminium  
Stainless steel




4058 33

Aluminium  
Stainless steel



4058 36

Aluminium  
Stainless steel




4058 37

Aluminium  
Stainless steel

With adhesive film on reverse

Budget lock roses

1




**1759 25**

Aluminium  
Stainless steel

Lugs with 10 mm Ø


f



**1759 26**

Aluminium  
Stainless steel


Lugs with 10 mm Ø



**1759 27**

Aluminium  
Stainless steel


Lugs with 10 mm Ø



**1793**


Aluminium

Budget lock roses




1783  
Aluminium

1



1784  
Aluminium


f



1785  
Aluminium


Window locks  
Door viewer

1




**3461**  
Aluminium

f




**3462**  
Aluminium



**3463**  
Galvanised iron


The key fits article no. FSB 3461 and 3462, but not bathroom furniture.



**3875**  
Chrome plated




Key tag  
Flush pulls



4047

Aluminium 01  
Aluminium 07  
Stainless steel

Engraving on request.  
Tag ring black




4211

Aluminium  
Stainless steel

Mill out size in the door  
87 x 28 x 10 mm

Boreholes for 3.0 mm  
countersunk screws




4212

Aluminium  
Stainless steel

Mill out size in the door  
87 x 28 x 10 mm

Boreholes for 3.0 mm  
countersunk screws



4213

Aluminium  
Stainless steel


Mill out size in the door  
97 x 28 x 10 mm

Flush pulls FSB 4211, 4212  
and 4213 are available:

without keyhole,  
with lever lock/BB keyhole,  
with profile cylinder/PZ keyhole.


# Flush ring handles

1




**4203**  
Aluminium

f



**4204**  
Aluminium



**4205**  
Aluminium

Available with:

- 8 mm □-hole
- Solid spindle 8 mm □
- FSB Stabil-spindle 8 mm □

Lever lock/BB keyhole  
Profile cylinder/PZ keyhole  
(4205)

Boreholes for 3.0 mm counter-sunk screws

# Engraving

FSB can engrave lettering and numerals on information signs, key tags, pad handles and any other flat plates made of aluminium, brass, bronze or stainless steel.

Before we can quote, we require the following information:

Metal required for plate

Size of plate, max. 500 x 1.200 mm

Typeface desired (see selection in righthand column)

Height of lettering (3 - 100 mm)

Engraving natural or inlaid. For the latter, the colour required; we supply black as standard

For logos and other pictorial material, drawings or sketches with details of dimensions.

**Helvetica** bold

Aluminium  
Stainless steel  
Brass

Helvetica light

ROMAN trilinear

Century

*EnScript*

Old English trilinear

Gothic

DIN 1451

